

Lathes and turning machines



This listing is the most up-to-date snapshot of machine tool builder offerings of lathes and turning machines in the Techspex Machine Tool database located at www.Techspex.com. Techspex is the first place to look when you are considering purchasing a new machine tool. The database contains detailed information about the model offerings of machine tool builders, as well as all pertinent contact information. Simply use the convenient RSLeads.com number after each builder's entry to go online to search for model by machine parameters, easily create spreadsheets, and generate online requests for quote (RFQs) from AMTDA member companies.

Go online with
RSLeads.com

Legend: U=Universal, B=Bar Type, C=Chucker, S=Swiss Type, S=Some, N=None, A=All

Company Name	Machine Type	Horse Power	Chuck Size (in)	Bar Capacity (in)	Spindle Direction	Simultaneous Cutting Tools	# of Axes	# Spindles	Mill/Drill Function	Sub Spindle	Complete Company & Model Details
ACE	U, C, B	10-30	6-12	1.1-2.48	H	1	2	1	N	N	www.rsleads.com/505tp-255
ACRA	U, C, B	1.5-30	4-24	1.34-5.0	H	1	2	1	N	N	www.rsleads.com/505tp-256
AMERA-SEIKI	U, C, B	10-60	6-24	1.625-8.0	H	1	2	1	N	N	www.rsleads.com/505tp-257
BARDONS & OLIVER	U, C, B	15-100	up to 25	3-12.0	H	2	2,3,4	1, 2	S	S	www.rsleads.com/505tp-258
BERTHIEZ	C	97 - 137	49 - 63	NA	V	1	2,3,4	1	S	N	www.rsleads.com/505tp-259
CHEVALIER	U, C, B	10-40	8-18	8-18	H	1	2	1	N	N	www.rsleads.com/505tp-260
COLCHESTER	U, C, B	7 - 35	5 - 24	1.65 - 6.5	H	1	2	1	N	N	www.rsleads.com/505tp-261
CINCINNATI LAMB	U, C, B	10-50	6-15	2 - 3.5	H	1	2,3	1	S	N	www.rsleads.com/505tp-262
CITIZEN	B, S	2-10	NA	.5 - 1.26	H	3	5 - 7	1	S	S	www.rsleads.com/505tp-263
CLAUSING	U, C	3-30	up to 22	NA	H	1	2	1	N	N	www.rsleads.com/505tp-264
DAEWOO	U, C, B	10 - 60	6 - 36	1.5 - 12	H, V	1, 2	3 - 8	1, 2	S	S	www.rsleads.com/505tp-265
DANOBAT LATHES	U, C, B	20 - 62	8 - 30	2.44 - 7.87	H	1	2 - 4	1	S	N	www.rsleads.com/505tp-266
DAINICHI	U, C, B	7 - 150	6 - 90	1.7 - 4.0	H	1, 2	2 - 4	1	S	N	www.rsleads.com/505tp-267
DMG-GILDEMEISTER	U, C, B	9 - 45	4 - 20	1.4 - 3.6	H	1, 2	3 - 8	1, 2	S	S	www.rsleads.com/505tp-268
DOOSAN	U, C, B	15 - 50	6 - 24	1.25 - 4.3	H, V	1, 2	2 - 6	1, 2	S	S	www.rsleads.com/505tp-269
DORRIES	U, C	80 - 288	31 - 393	NA	V	1	2 - 7	1	S	N	www.rsleads.com/505tp-270
DUNHAM	C, B	2 - 5	4 - 6	1 - 1.375	H	1	2	1	N	N	www.rsleads.com/505tp-271
ECOCA	U, C, B	10-25	7 - 12	2 - 3	H	1	2	1	N	N	www.rsleads.com/505tp-272
EMAG	C	32 - 100	6 - 20	NA	H	1	2,3	1	S	N	www.rsleads.com/505tp-273
EMCO MAIER	U, C, B	1 - 107	3 - 24	1 - 8.1	H	1, 2	3 - 7	1, 2	S	S	www.rsleads.com/505tp-274
ESCO	B, C, S	1 - 2.6		.196 - .354	H	1, 2	2, 3, 4	1	S	S	www.rsleads.com/505tp-275
EUROTECH	U, C, B	20-35	6-8	1.625 - 2.75	H	1, 2	2 - 7	1	S	S	www.rsleads.com/505tp-276
EUROTURN	C	12 - 34	NA	.78 - 1.25	H	12	12, 16	6	S	N	www.rsleads.com/505tp-277
FEMCO	U, C, B	10 - 60	6 - 09	1.77 - 6.3	H, V	1, 2	2 - 4	1	S	N	www.rsleads.com/505tp-278
FORTUNE	U, C, B	7 - 50	6 - 18	1.7 - 6	H, V	1, 2	2 - 4	1	S	N	www.rsleads.com/505tp-279
FUJI	U, C	7 - 40	8 - 15	NA	H	1, 2	2 - 5	1, 2	S	N	www.rsleads.com/505tp-280
GIDDINGS & LEWIS	C	75 - 100	36 - 137	NA	V	1, 2	2 - 5	1	S	N	www.rsleads.com/505tp-281
GITAL	U, C, B, S	3 - 73	6 - 16	.5 - 4.9	H	1 - 8	2 - 16	1, 2, 3, 6, 8	S	S	www.rsleads.com/505tp-282
HAAS	U, C, B	7 - 40	6 - 48	1.06 - 6.75	H, V	1	2 - 4	1, 2	S	S	www.rsleads.com/505tp-283
HAKUSUI	U, C, B	7 - 24	6 - 10	1.3 - 3	H	1	2	1	N	N	www.rsleads.com/505tp-284
HANWHA	S	3 - 8	NA	.47 - 1.02	H	2	3 - 6	1	S	S	www.rsleads.com/505tp-285
HARDINGE	U, C, B, S	1 - 35	4 - 17	1.062 - 3	H, V	1, 2	2 - 8	1, 2	S	S	www.rsleads.com/505tp-286
HARRISON	U, C, B	2 - 35	4 - 20	2.1 - 3.5	H	1	2	1	N	N	www.rsleads.com/505tp-287
HESSAPP	C	27 - 223	7 - 63	NA	V	1, 2	2 - 5	1, 2	S	N	www.rsleads.com/505tp-288
HURCO	U, C, B	15 - 29	6 - 10	2 - 3	H	1	2	1	N	N	www.rsleads.com/505tp-289
HWACHEON	U, C, B	10 - 40	6 - 32	1.7 - 3.5	H, V	1, 2	2 - 4	1, 2	S	S	www.rsleads.com/505tp-290
HYUNDAI	U, C, B	10 - 50	6 - 21	1.6 - 4.6	H, V	1	2, 3	1	S	N	www.rsleads.com/505tp-291
KEGAI	U, C, B	12 - 60	8 - 24	2 - 14	H	1, 2	2 - 5	1	S	S	www.rsleads.com/505tp-292
INDEX	U, C, B	5 - 47	5 - 12	1 - 3.5	H	1, 2	2 - 8	1, 2, 6	S	S	www.rsleads.com/505tp-293
INTERTECH	U, C, B	7 - 15	6 - 8	1.625 - 2.375	H	1	2, 3	1	S	N	www.rsleads.com/505tp-294
JOHNFORD	U, C, B	10 - 105	6 - 63	1.7 - 6.1	H, V	1, 2	2 - 4	1, 2	S	S	www.rsleads.com/505tp-295
KIA	U, C, B	10 - 49	6 - 12	1.5 - 2.6	H, V	1	2, 3	1	S	N	www.rsleads.com/505tp-296
KINEFAC	U, C	20	1.1875 - 2	NA	H	1, 2	2, 4	1	N	N	www.rsleads.com/505tp-297
KINGSBURY	C	15 - 40	8 - 15	NA	V	1, 2	2, 4	1	S	N	www.rsleads.com/505tp-298
KITAKO	C	7 - 35	4 - 20	NA	H, V	2	4	2	N	N	www.rsleads.com/505tp-299
K'MX	S	5 - 12	NA	.5 - 1.024	H	1, 2, 3	2 - 7	1	S	S	www.rsleads.com/505tp-300
LAGUN	U, C, B	5 - 104	6 - 42	2 - 2.75	H	1	2, 3	1	S	N	www.rsleads.com/505tp-301
LEADWELL	U, C, B	10 - 60	6 - 18	1.3 - 4.6	H	1, 2	2 - 5	1	S	S	www.rsleads.com/505tp-302
LIGHT	C	1	4	1	H	1	2	1	N	N	www.rsleads.com/505tp-303



Go online with
RSLeads.com



Company Name	Machine Type	Horse Power	Chuck Size (in)	Bar Capacity (in)	Spindle Direction	Simultaneous Cutting Tools	# of Axes	# Spindles	Mill/Drill Function	Sub Spindle	Complete Company & Model Details
MATECH	B, C	7	5	1	H	1	2	1	N	N	www.rsleads.com/505tp-304
MAX MULLER	U, C, B	53 - 95	12 - 20	3 - 4	H	1, 2	2 - 8	1	S	S	www.rsleads.com/505tp-305
MAXTEC	U, C, B	15 - 50	8 - 90	2 - 3	H, V	1, 2	2 - 5	1	S	N	www.rsleads.com/505tp-306
MAZAK	U, C, B	7 - 80	5 - 79	up to 14.2	H, V	1, 2	2 - 8	1, 2	S	S	www.rsleads.com/505tp-307
MIGHTY	U, C, B	7 - 30	6 - 22	3	H	1	2	1	N	N	www.rsleads.com/505tp-308
MILLTRONICS	U, C	7 - 20	8 - 12	NA	H	1	2	1	N	N	www.rsleads.com/505tp-309
MIYANO	U, C, B	7 - 25	4 - 10	.8 - 2.5	H	1, 2	2 - 8	1, 2	S	S	www.rsleads.com/505tp-310
MONARCH	U, C, B	12 - 65	5 - 12	1.65 - 3	H	1, 2	2 - 7	1, 2	S	N	www.rsleads.com/505tp-311
MONARCH lathes	U, C, B	20 - 35	8 - 12	2 - 3.5	H	1	2, 3	1	S	N	www.rsleads.com/505tp-312
MORI SEIKI	U, C, B	10 - 50	6 - 24	1.2 - 6.0	H, V	1, 2	2 - 8	1, 2	S	S	www.rsleads.com/505tp-313
MOTCH	C	15 - 75	10 - 48	NA	H, V	1, 2, 3	2 - 6	1, 2, 3	S	N	www.rsleads.com/505tp-314
MURATEC	C, B	15 - 30	5 - 12	2 - 2.75	H	1, 2	2 - 6	1, 2	S	N	www.rsleads.com/505tp-315
NAKAMURA	U, C, B	10 - 30	6 - 12	1.3 - 3.1	H	1, 2	2 - 8	1, 2	S	S	www.rsleads.com/505tp-316
NANOTECH SYSTEMS	C	10	6 - 12	NA	H	1	2, 3	1	S	N	www.rsleads.com/505tp-317
NARDINI	U, C	6 - 30	8 - 42	NA	H	1	2	1	N	N	www.rsleads.com/505tp-318
NEW BRITAIN	C, B	25	1 - 2.5	1 - 2.25	H	6	6	6	N	N	www.rsleads.com/505tp-319
NISSIN	U, C	30 - 50	10 - 18	NA	H	1, 2	2, 4	1	N	N	www.rsleads.com/505tp-320
NOMURA AUTOMATIC	S	2 - 5	NA	.5 - .78	H	1, 2	2 - 5	1	S	S	www.rsleads.com/505tp-321
OKUMA & HOWA	U, C, B	10 - 40	6 - 32	1.625 - 3.5	H, V	1, 2	2 - 5	1, 2	S	N	www.rsleads.com/505tp-322
OKUMA	U, C, B	10 - 75	6 - 40	1.375 - 12.9	H	1, 2	2 - 9	1, 2	S	S	www.rsleads.com/505tp-323
OLYMPIA	C	54 - 107	40 - 110	NA	V	1	2, 3	1	S	N	www.rsleads.com/505tp-324
O-M	C	40 - 200	20 - 315	NA	V	1, 2	2 - 5	1	S	N	www.rsleads.com/505tp-325
OMNITURN	C, B	2 - 5	6	1.062	H	1	2, 3	1	S	N	www.rsleads.com/505tp-326
PHOENIX	C	75 - 133	80 - 198	NA	V	1	2, 3	1	S	N	www.rsleads.com/505tp-327
PIETRO CARNAGHI	C	80 - 134	24 - 236	NA	V	1	2, 3	1	A	N	www.rsleads.com/505tp-328
POLAMCO	C	40 - 50	43 - 55	NA	V	1, 2	2 - 5	1	S	N	www.rsleads.com/505tp-329
POREBA		20 - 100	20 - 80	NA	H	1	2, 3	1	S	N	www.rsleads.com/505tp-330
ROMI	U, C, B	10 - 30	6 - 12	1.65 - 2.5	H	1	2	1	N	N	www.rsleads.com/505tp-331
SCHIESS	C	147	49 - 110	NA	V	1	2 - 5	1	S	N	www.rsleads.com/505tp-332
SCHUTTE	C, B	30	2	2	H	4	7	6	N	N	www.rsleads.com/505tp-333
SERVO	U, C, C	7 - 10	7 - 10	3	H	1	2	1	N	N	www.rsleads.com/505tp-334
SHARP	U, C, B	5 - 25	5 - 20	1.75 - 3	H	1	2, 3	1	S	N	www.rsleads.com/505tp-335
SHIMADA	C, B, S	7 - 15	6	1	H	2, 4	2, 6	2, 6	N	N	www.rsleads.com/505tp-336
SNK	U, C, B	50	21	.5 - 1.625	H	1, 2	2 - 5	1	S	S	www.rsleads.com/505tp-337
SNK SOMEK	U, C, B	2 - 10	4 - 10	.5 - 1.625	H	1	2 - 3	1	S	N	www.rsleads.com/505tp-338
SOUTH BEND	U, C, B	1 - 15	3 - 14	.625 - 2.125	H	1	2	1	N	N	www.rsleads.com/505tp-339
SOUTHWESTERN	U, C	7.5 - 15	6 - 10	NA	H	1	2	1	N	N	www.rsleads.com/505tp-340
STANDARD - MODERN	U, C	3 - 25	4 - 35	NA	H	1	2	1	N	N	www.rsleads.com/505tp-341
STAR	B, S	3 - 10	NA	.275 - 1.25	H	1, 2	2 - 8	1	S	S	www.rsleads.com/505tp-342
SUMMIT	U, C	7 - 40	8 - 30	NA	H	1	2	1	N	N	www.rsleads.com/505tp-343
SUPERMAX	U, C, B	7 - 35	6 - 15	1.77 - 3.54	H	1	2	1	N	N	www.rsleads.com/505tp-344
TAKAMATSU	U, C, B	3 - 15	5 - 8	1 - 2	H	1, 2	2 - 6	1, 2	S	N	www.rsleads.com/505tp-345
TAKISAWA	U, C, B	4 - 25	4 - 15	1.65 - 3.75	H, V	1, 2	2 - 6	1, 2	S	S	www.rsleads.com/505tp-346
TENCO	C	25	8 - 10	NA	H, V	1, 2	2, 3, 4	1, 2	S	N	www.rsleads.com/505tp-347
TITAN	U, C, B	7 - 25	8 - 21	2 - 3	H, V	1	2	1	N	N	www.rsleads.com/505tp-348
TORNOS	B, S	5 - 24	NA	.275 - 1.259	H	2, 6, 8	2 - 9	1, 2, 6, 8	S	S	www.rsleads.com/505tp-349
TOS HULIN	C	80 - 100	49 - 118	NA	V	1	2, 3	1	S	N	www.rsleads.com/505tp-350
TOSHIBA	C	40 - 60	39 - 78	NA	V	1	2 - 4	1	S	N	www.rsleads.com/505tp-351
TRAUB	U, C, B	4 - 41	6 - 16	.275 - 4	H	1, 2	2 - 8	1, 2	S	S	www.rsleads.com/505tp-352
TREE	U, C, B	15	8 - 10	2 - 3.23	H	1	2	1	N	N	www.rsleads.com/505tp-353
TRI-TURN	C, B	20 - 29	6	.375 - 1.5	H	6	6 - 8	6	S	S	www.rsleads.com/505tp-354
TSUGAMI	C, B, S	2 - 25	4 - 8	.276 - 2.56	H	1, 2, 6	2 - 7	1, 6	S	S	www.rsleads.com/505tp-355
VICTOR	U, C, B	1 - 30	5 - 35	1 - 3.5	H	1, 2	2 - 6	1	S	N	www.rsleads.com/505tp-356
WASINO	U, C, B	5 - 20	4 - 10	1 - 2.5	H	1, 2	2 - 4	1	S	N	www.rsleads.com/505tp-357
WEILER	U, C, B	4 - 60	4 - 29	1 - 2.6	H	1, 2	2 - 6	1, 2	S	S	www.rsleads.com/505tp-358
WFL	U, C	50 - 160	10 - 31	NA	H	1, 2	2 - 7	1	S	N	www.rsleads.com/505tp-359
WILLIS	U, C	3 - 40	6 - 50	NA	H	1	2	1	N	N	www.rsleads.com/505tp-360
WILTON	U, C	1 - 10	4 - 14	NA	H	1	2	1	N	N	www.rsleads.com/505tp-361
WMW	U, C	25 - 135	28 - 160	NA	H	1	2	1	N	N	www.rsleads.com/505tp-362
YU SHINE	C	25 - 60	12 - 26	NA	V	1, 2	2, 4	1	N	N	www.rsleads.com/505tp-363

Copyright of T & P: Tooling & Production is the property of Nelson Publishing and its content may not be copied or emailed to multiple sites or posted to a listserv without the copyright holder's express written permission. However, users may print, download, or email articles for individual use.